

SPRING 2023 CAMPAIGN

Bullingens Maskin & Verktyg 070-797 60 00 stefan.fossum@gmail.com

Kampanjen gäller t.o.m. 2023-05-31 med reservation för ev. slutförsäljning. Alla priser exkl. moms.





3PC PLIERS SET 23Q1-PL307ACF/BK/MB

• VectorEdge Cutters provide power and finesse at all points on the cutting edges

• Talon Grip[™] Long Nose Pliers provide up to 57% increase in pulling power, with a relocated joint, optimized handle shape and diamond-serrated jaws

Machined, hardened teeth are sharp and strong like file teeth

- · Features a riveted, three-position slip joint with diamond-
- serrated jaws for maximum versatility and increased gripping capability

1295:-

1295:-





BLUE

3 PC HEAVY-DUTY PLIERS SET (RED) 23Q1-PL330ACF

- VectorEdge Cutters provide power and finesse at all points on the cutting edges
- Talon Grip[™] Long Nose Pliers provide up to 57% increase in pulling power, with a relocated joint, optimized handle shape and diamond-serrated jaws
- Machined, hardened teeth are sharp and strong like file teeth
- Features a riveted, three-position slip joint with diamondserrated jaws for maximum versatility and increased gripping capability
- Cushion grips provide comfort, control, and power



1

3PC PLIERS SET 23Q1-PL306ACF

1595:-

- VectorEdge cutters provide power and finesse at all points on the cutting edges
- Talon Grip[™] Long Nose Pliers provide up to 57% increase in pulling power, with a relocated joint, optimized handle shape and diamond-serrated jaws
- Machined, hardened teeth are sharp and strong like file teeth
- Combination pliers feature a riveted, three-position slip joint with diamond-serrated jaws for maximum versatility and increased gripping capability
- Manufactured from special cold forged steel with a higher alloy content for greater durability and strength

10 PC METRIC 15°/ 60° OFFSET OPEN-END IGNITION WRENCH SET (3.2-11 MM) 23Q1-DSM810K

- Includes DSM3.25.5–DSM1110 (3.25–11 mm) in a storage bag
- Same size on both ends, with different offset angles, allow wrench to be used in four positions
- Wrenches are sized for optimum comfort and balance
- Nickel-chrome plating helps protect against corrosion and makes it easy to wipe clean
- Nickel-chrome plating helps protect against corrosion and makes it easy to wipe clean





Roma J	Snao-an Ilma	1
Inn	Эпоръм Юта	N
D Can 1	Ingran Dan	1
Daur	Sugern Linn	1
2 cm.	Shipon Two	2
2	Supan Cas	2
<u></u>	Staphen S.Com	2
	Shapon dina	~
2 800	a Shipon 3.5ma	2

5 PC METRIC OPEN-END WRENCH SET 23Q1-VOM705



• Continuous arc design of the open-end distributes stress evenly across the head of the wrench, transferring more to torque to the fastener

• Manufactured from special alloy steel and heat-treated for optimum strength and durability

• Nickel-chrome plating helps protect against corrosion and makes it easy to wipe clean

• Sized for optimum comfort and balance

• 15° offset broaching allows the user to flip the box end over to obtain a more advantageous grip on a fastener for restricted clearance areas




8 PC RATCHETING SOFT GRIP SCREWDRIVER SET SGDMRC103A/G/O AND RATCHETING SOFT GRIP STUBBY SCREWDRIVER SGDMRC11A/G/O 23Q1-SGDMRCKIT1R/G/O




- #1 and #2 PHILLIPS® ACR® bits, 3/16" and 9/32" flat tip bits and T15 TORX® bit
- Includes storage case
- Available in red, green and orange

- Smooth, durable ratcheting mechanism
- High-strength neodymium magnet for superior bit retention
- Available in red, green and orange

4 PC TORX® INSTINCT® SOFT GRIP MINI-TIP SCREWDRIVER SET 23Q1-SGTX40BR/G/HV/0



7 PC TORX® INSTINCT® SOFT GRIP LONG SCREWDRIVER SET 23Q1-SGDTXL70BR/0



- Includes (7 pc) (T8, T10, T15, T20, T25, T27 and T30)
- Designed for internal-type TORX® fasteners used in automotive and appliance industries
- Precision-cut, vapor-blasted tips provide the best possible grip and help to prevent chrome peel
- Instinct® soft handles offer a unique combination of power, comfort and versatility
- Nickel-chrome plating helps protect against corrosion and promotes easy cleanup
- Available in red and orange

7 PC COMBINATION SCREWDRIVER SET 23Q1-SDDX70A/PP/PW



1350:-

INSTINCT® TIRE VALVE TOOL 23Q1-SGD107BR/G/O

- Designed to install and remove standard tire valve cores
- Instinct handle provides maximum turning power and greater comfort

GREEN


ORANGE

- 5-7/8" overall length
- Made in USA
- Available in red, green and orange

RED

4 PC SOFT GRIP SEAL REMOVAL TOOL SET 23Q1-SGSR104AR/G/HV/0

• For use on transmissions, heater and vacuum hoses, oil pump drive shaft seals, injectors and fuel rail O-rings, inner tie-rod rack boot and CV boot removal, fork seals, and caliper dust boot assemblies on Harley-Davidson® and other motorcycles, and steering racks and pumps



• Available in red



1/4" DRIVE 8-1/8" LOCKING INSTINCT® DRIVER 23Q1-SGTL4BR

- Features a locking pin for better socket retention
- Available in red



RATCHETING T-HANDLE DRIVER 23Q1-TMRT8

Snapsn

- For use with any 1/4" drive socket to create a ratcheting nut driver
- The three position ratchet mechanism works in forward, reverse, or lock out the 121 ratcheting action completely
- Available in black




1/4" DRIVE DUAL 80® TECHNOLOGY SOFT GRIP LONG HANDLE FLEX-HEAD RATCHET 23Q1-THLF72/G/O

- Dual 80® Technology based ratchet design features 72-tooth gear, with six teeth in contact with gear to provide strength and durability
- Flex-head design allows exceptional versatility, with multiple positions for convenient access to work
- Sealed head keeps lubricants in and contaminants out for longer life
- Soft grip handle provides comfort and control, and resists most shop chemicals
- Chrome finish for easy cleanup

GREEN

• Available in red, green and orange







ORANGE

- Includes 1/4" drive TMABM3E-TMABM6E (3-6 mm), 3/8" drive FABM7E-FABM10E (7-10 mm) in a magnetic storage tray
- Ball end of bit makes it easier to insert bit into fastener, especially in blind-access applications
- Sockets are manufactured from special alloy steel that provides long life and great strength
- Nickel-chrome plating helps protect against corrosion and makes it easy to wipe socket clean

11 PC 1/4" COMBINATION DRIVE TORX PLUS® BIT SOCKET DRIVER SET 23Q1-211EFTXTPY





- Includes 1/4" drive (8IP-25IP) and 3/8" drive (27IP-55IP) in a magnetic storage tray
- TORX Plus® fasteners may be found in most vehicles from 1999-present
- Common applications include GM® transmission bell housing bolts, Ford® seat belt anchors, and Ford® Taurus® and Sable front spring shields
- For use with of a standard TORX® driver on TORX Plus® fasteners may result in a rounded-out fastener head or damaged driver

 12 PC 1/4" DRIVE 6-POINT METRIC FLANK DRIVE® XTRA SEMI-DEEP SOCKET SET (5-15 MM)

 23Q1-112YTMMSY

 1990:-

• Includes YTMMS5-YTMMS15 (5-15 mm) in a magnetic storage tray

Sec. 25

- Sockets using the Flank Drive® Xtra wrenching system grip the fastener on the angled flats, delivering up to 20% more turning power than current Flank Drive® sockets
- Flank Drive® Xtra wrenching system grips fasteners with the angled contour of the socket wall, delivering higher strength and up to 50% more turning power on damaged fasteners
- Optimally grooved wall eases socket removal and incorporates large identification marking
- Manufactured from the highest quality proprietary steel, providing optimum strength and durability

 12 PC 1/4" DRIVE 6-POINT METRIC FLANK DRIVE® XTRA DEEP SOCKET SET (5-15 MM)

 23Q1-112YSTMMY



- Includes YSTMM5-YSTMM15 (5-15 mm) in a magnetic storage tray
- Sockets using the Flank Drive® Xtra wrenching system grip the fastener on the angled flats, delivering up to 20% more turning power than current Flank Drive® sockets
- Flank Drive® Xtra wrenching system grips fasteners with the angled contour of the socket wall, delivering higher strength and up to 50% more turning power on damaged fasteners
- Optimally grooved wall eases socket removal and incorporates large identification marking
- Manufactured from the highest quality proprietary steel, providing optimum strength and durability

1/4" HEX DRIVE DUAL 80® TECHNOLOGY HARD GRIP ROUND SWIVEL HEAD BIT DRIVER RATCHET 23Q1-THNFDM72R



1150:-

675:-

- Ratchet head swivels 260° to get into tight work areas and can be used as a ratcheting screwdriver
- Slim round head perfect for the tightest of space constraints
- Magnetic bit retention for 1/4" hex bits
- 72 tooth gear for 5° of swing arc
- Up to 25% less ratcheting arc to engage the next gear tooth

3 PC 1/4" KNURLED LOCKING EXTENSION SET (6–24") 23Q1-103TMXKLA

- Includes (3) knurled locking extensions (6, 11 and 24")
- Includes storage tray



3/8" DRIVE 18" EXTRA-LONG HANDLE BREAKER BAR 23Q1-F18LA

- Up to 50% longer handle for increased leverage and reach to handle stubborn fasteners
- Manufactured from special alloy steel, precision forged and heat-treated for optimum strength and durability
- Nickel-chrome finish helps protect against corrosion and makes it easy to wipe clean
- For use with repair kit RKBB2



- Long neck ratchet with extra-long reach for those hard-to-reach fasteners
- Soft grip handle provides increased comfort and insulation from the cold while reducing vibration
- Larger forward/reverse knob makes it easy to switch directions even with greasy hands
- Zerk fitting allows ratchet head to be lubricated for longer tool life
- Variable-speed trigger allows for slow motor start-ups



3/8" DRIVE 12-POINT METRIC 14 MM FLANK DRIVE® MAGNETIC SPARK PLUG SOCKET 23Q1-S9714MKDMGA

615:-

- Spark plug extends through the socket for access in tight quarters
- New magnetic insert helps with spark plug alignment and retention, offers smooth release and will not wear out
- · Side through hole for secure extension retention
- Snap-on® sockets using the Flank Drive® wrenching system grip the fastener on the flanks/flats which deliver 15–25% more turning power
- Manufactured from the highest quality proprietary steel, providing optimum strength and durability

3/8" DRIVE 6-POINT METRIC 14 MM FLANK DRIVE® RETENTION SPARK PLUG SOCKET 23Q1-S9714MKR

- Applications include 14 mm spark plugs used in Nissan® 1.8 L Versa® and 2.0 L Sentra®, Mercedes® and BMW® vehicles
- Patented tapered hex design securely retains spark plug in socket without rubber insert or magnet
- Patented "Diamond Wedge" design with six wedges equally align plug in the center to avoid damage to the porcelain (US Patent #6,626,067)
- Spark plug is easily disengaged by applying gentle side pressure
- Spark plug extends through the socket for access in tight quarters

10 PC 3/8" POWER SOCKET DRIVER SET 23Q1-PFDRIVERSET



- Contains metric hex sizes 4-10mm and Tork T27, T30 and T40
- Great for use with cordless ratchets



7 PC 3/8" DRIVE TORX® BIT STUBBY SOCKET DRIVER SET 23Q1-207EFTXYSE



- Includes (7) bit stubby sockets: (6) TORX® (T27, T30, T40, T45, T50 and T55) and (1) T47*
- Includes magnetic storage tray



MAGNETIC

CONVENIENCE

445:-



9 PC 3/8" DRIVE 6-POINT METRIC FLANK DRIVE® LOW PROFILE SOCKET SET 23Q1-209RFSM



- Low-profile sockets combined with low-profile ratchet gets the job done in the tightest work areas
- Special low-profile ratchet square drive design works with low-profile sockets to access tight clearance areas with no loss of strength
- Manufactured from special alloy steel, precision forged and heat-treated for optimum strength and durability
- Nickel-chrome plating helps protect against corrosion and makes easy to wipe clean

5 PC 1/2" DRIVE METRIC STUBBY TRIPLE SQUARE BIT SOCKET DRIVER SET (10-18 MM) 23Q1-305STSMSE

• Pinless bits (no roll pin) provide a solid fit, are easily replaced and have no hole to collect dirt and grit

- Bit sockets are chrome plated
- Bits feature natural oil coat finish to protect against corrosion
- Double Hex socket drivers and Triple Square socket drivers
- cannot be interchanged between applications
- Using a Triple Square tool in a Double Hex application will strip the bolt head

13 PC 1/2" DRIVE 6-POINT DEEP METRIC FLANK DRIVE® XTRA SOCKET SET (12-24 MM) 23Q1-313YTSMY



- Includes YTSM12-YTSM24 (12-24 mm)
- Optimally grooved wall eases socket removal and incorporates large identification marking
- 4395:-
- Manufactured from the highest quality proprietary steel, providing optimum strength and durability
- Sockets using the Flank Drive® Xtra wrenching system grip the fastener on the angled flats, delivering up to 20% more turning power than current Flank Drive® sockets
- Flank Drive® Xtra wrenching system grips fasteners with the angled contour of the socket wall, delivering higher strength and up to 50% more turning power on damaged fasteners

13 PC 1/2" DRIVE 6-POINT METRIC FLANK DRIVE® XTRA SHALLOW SOCKET SET (12-24 MM) 23Q1-313YTWMY

- Includes YTWM12-YTWM24 (12-24 mm)
- Optimally grooved wall eases socket removal and incorporates large identification marking
- Manufactured from the highest quality proprietary steel, providing optimum strength and durability
- Sockets using the Flank Drive® Xtra wrenching system grip the fastener on the angled flats, delivering up to 20% more turning power than current Flank Drive® sockets
- Flank Drive® Xtra wrenching system grips fasteners with the angled contour of the socket wall, delivering higher strength and up to 50% more turning power on damaged fasteners

3-PC RATCHET SPINNER SET (FRS70A + LRS70A + TMS70A) 23Q1-SPINNERSETFM





2695:-

TMS70A

1140:-

- Knurled nut body for positive grip
- Anodized knurled body design
- Set contains 1/2", 1/4", 3/8 ratchet spinners
- Comes in foam organizer
- Ideal for getting into tight places while generating substantial torque

1/2" DRIVE 24" SOFT GRIP HANDLE BREAKER BAR 23Q1-SHBB24/0

- 24" L with a chrome finish
- Soft grip handle provides additional comfort and improves control
- Longer-length handle increases leverage, making it easier to break stubborn fasteners loose
- Available in red and orange





- Seven (7) teeth in contact with gear to provide strength and durability
- Quick-release has a positive locking feature to hold socket securely in place when needed and push button for easy removal
- · Sealed head keeps dirt and other contaminants out of the head mechanism
- Snap-on® comfort grip offers a non-slip surface; easier to get a good gripping surface/leverage when hands get are wet, sweaty or oil-covered
- Available in red, green and orange



4 PC HEAVY-DUTY SPRING PUNCH SET 23Q1-SPHDSET4

1995:-

- No hammer required
- Deliver accurate blows to the toughest materials
- Each blow delivers up to 5,000 PSI of impact force
- Knurled shank provides secure grip for precise control even when using gloves
- Made from hardened-carbon steel for use in a variety of mechanical and metal working applications

10 PC SOFT GRIP PUNCH AND CHISEL SET 23Q1-PPCSG710G/0



• Ergonomic soft grip handle provides a secure grip, improves the thermal sensation in cold work environments and reduces strike vibration

- Semi-spherical striking area controls mushrooming to help reduce chipping and splitting
- Cutting edges on chisels are hand ground to consistently produce a quality edge
- Black oxide coated
- · Manufactured from special alloy steel that is differentially heat-treated to increase durability
- Available in green and orange

3 PC STRAIGHT TIP PRYBAR SET 23Q1-MPBS703A



- Manufactured from special alloy steel, precision forge and heat-treated for optimum strength and durability
- Flared end of handle offers protection from off-center handle strikes
- Blade extends through handle and contacts the metal end cap to provide a continuous, solid striking force
- High-leverage design with smooth radius head provides maximum leverage while lifting and pulling back
- Durable, ergonomic handle features a tapered design for comfortable grip and withstands extreme work environments

3 PC RIGID CARBON SCRAPER SET 23Q1-CSA300ADT/ MB



- Includes CSA8CDT (7-5/8"), CSA12CDT (12-7/8") and CSA14CDT (14-1/8") in a storage tray
- 1/4" square shanks are flared to form scraping edge
- Classic screwdriver-type handle
- Available in dark titanium and blue



32 OZ DUAL-FACE DRILLING DEAD BLOW HAMMER 23Q1-HSSD32/0



- Dead blow hammers deliver sustained impact and maximum striking force with almost no rebound
- Ribbed, textured grip with energy absorbing microcellular material will enhance comfort and reduce vibration
- Composite handle shank improves the hammer balance while defusing shock
- Free-flowing steel head canister design improves dead blow action and reduces rebound
- Non-sparking, chemical resistant molded urethane covering
- Available in red and orange

3 PC BALL PEEN SOFT GRIP DEAD BLOW HAMMER FOAM SET 23Q1-HBBD3FR/G/O



2800:-

- Polished steel peen and head for smooth striking surface
- Composite shank extends from the head through handle, delivering a more powerful blow and dampening vibration
- Internal steel canister with free-flowing shot design delivers maximum dead blow action
- Multiposition hand grip allows user to choke up in tighter work areas
- Wide flare at end of handle helps prevent hammer from slipping out of user's hand
- Available in red, green and orange

40 OZ BALL PEEN SOFT GRIP DEAD BLOW HAMMER (PEARL BLUE) 23Q1-HBBD40PB



- Polished steel peen and head for smooth striking surface
- Multiposition hand grip allows user to choke up in tighter work areas
- Wide flare at end of handle helps prevent hammer from slipping out of user's hand
- Internal steel canister with free-flowing shot design delivers maximum dead blow action
- Composite shank extends from the head through handle, delivering a more powerful blow and dampening vibration

6PC DBLW BPEEN HAMMR SET 23Q1-HBBD6FDT/G/HV/O/R



- Set includes 8, 16, 24, 32, 40 and the new 56 oz; Heaviest Ball Peen in the Industry
- Polished steel peen and head for smooth striking surface
- Composite shank extends from the head through handle, delivering a more powerful blow and dampening vibration
- Inclusion of entire HBBD range provides end users with the right solution for striking any type of work surface or material
- Internal steel canister with free-flowing shot design delivers maximum dead blow action
- Available in dark titanium, green, high-viz, orange and red


<section-header><section-header><complex-block>

Blue Print


Blue Point.

T-HANDLE RATCHET & BIT SET 23Q1-BLPTRATSETU





- 72 tooth ratchet gear meaning only 5° of turning arc for the next bite
- 1/4" ratchet with 0-90° swivel head
- Extension L= 50 mm
- 1/4" bit holder socket
- Phillips bit.: 1x PH1, 2x PH2. 2x PH3
- Hex bit: 1.5, 2, 2.5, 3, 4, 5, 6, 7mm
- Torx® bit: T10, T15, T20, T25, T27, T30, T40, T45





- Lift height 495mm
- Super low entry height at only 68mm
- Foot pedal for quick lift

BABY BEAST 2T 23Q1-SNX2CETJ

- Min height 70mm
- Max height 500mm



Pinos and

Blue-Point





- Maximum lifting height of 23.4"
- Lift arm is contoured to allow clearance with the vehicle's rocker panel
- Premium U-Cup seals on pumps and ram pistons for long life
- Professional one-piece handle design
- Special high-performance hydraulic oil for extreme temperatures and reduced wear
- Internal filtration with a magnet in the pump reservoir to maintain oil cleanliness
- Powder coated finish for durability
- Dual-pump pistons for speed to reach service height quickly
- Grease fittings in the front wheels, lift arm and yoke pivots for reduced wear
- Removable saddle with a rubber pad
- Front wheels have a nut and shoulder design for positive retention



- High-quality 300 lm COB main light, with approximately two hours of run time
- Pull light head to zoom between focused flashlight and brilliant floodlight
- Extremely bright 200 lm CREE LED spotlight, with approximately three hours of run time
- Adjustable magnetic clip for multiple lighting angles
- Robust aluminum housing design



WIRELESS DUAL CONVERSION LIGHT 23Q1-ECARE068U



- 270° folding design offers the ultimate in flexible positioning
- Overmold design for anti-skidding
- Strong magnet on bottom and back for hands-free use
- Dimmable switch with memory function on the main light; press and hold to activate
- Dual-sided light with spotlight:600 lm each inside and outside bars, 900 lm with both bars on; 350 lm spotlight
- Switch freely between single lighting and dual lighting
- Most reliable and safest design—only the outside light can be turned on when the lamp is folded



400 LUMEN RECHARGEABLE POCKET LIGHT 23Q1-ECPRE042U

- 400 lm high; 40 lm low
- Slim and compact with large pocket clip
- Magnets on clip allow for hands-free use
- 110° rotation design provides more lighting angles
- Three-hour run time on high
- Rechargeable via bidirectional USB-C connection
- IP65 Rated resistant to water and dust infiltration

PRECISION LOW AMP PROBE 23Q1-EETA308D

- Hall effect technology gives accurate, non-intrusive circuit testing
- Performs precision testing of parasitic draw, injectors, pumps, relays and more
- Spring clamp operation can test wires up to 1/2" dia.
- Scale ranges: 20 and 60 A
- Resolution: ± 1 mA
- Internally powered by a 9 V battery



THERMAL LASER 23Q1-EETHGB311A

- Thermal image blending with a visible-light camera to provide more detail
- 2.8" colored display with 32 x 32 thermal sensor resolution for clear and accurate viewing
- Temperature readings of up to 1,800 °F (982 °C) in laser mode, great for diagnosing and troubleshooting catalytic converters, exhaust manifolds and DPFs
- Delta feature in laser mode for capturing high and low readings, as well as their difference (delta), ideal for checking inlet and outlet temperatures of catalytic converters
- Stores hundreds of images
- Laser pointer for pinpoint accuracy on faulty parts
- LED light for use under dashes and in dark engine bays
- Images are captured with a pull of the trigger; saved images can be used for reference and to create convincing repair orders
- Pistol-grip ergonomics for comfort and convenient access to tight locations
- Rechargeable high-power lithium-ion battery with up to an 8-hour charge life and convenient battery level indicator
- USB cable for charging and transferring files to a computer to share with customers
- Includes the Thermal Laser, AC charger, USB cable and a Quick Start Guide







SODA BLASTER 23Q1-JWLSB2

- Easily removes paint, carbon deposits, grease, rust, gasket material, adhesives and other coatings
- For use on metal, plastic, wood and composite surfaces without damaging the substrate

• Uses sodium bicarbonate blast media—material requires no special cleanup methods or handling, is a natural degreaser and deodorizer, and rinses away with water 1425:-

COMBUSTION LEAK TESTER 23Q1-GDCT16

- Provides an easy and quick way to diagnose engine overheating problems
- Checks for leaks between the combustion chamber and the cooling system

HI-VIZ

- Tests head and gasket for combustion leaks before removing the radiator
- Double chamber in the testing unit provides a high level of accuracy
- For use on water-cooled gas and diesel engines
- Kit includes a complete test chamber, 16 oz bottle of testing fluid and instructions

4" BENT TUBE BLOW GUN 23Q1-AT4101G/HV



• Built-in valve system improves trigger control

850:-

- Impact-resistant material for long-lasting service
- Galvanized blow tube for corrosion resistance
- Lifetime warranty (accessories not included)
- Available in green and high-viz



Enhanced dexterity

GREEN

- Available in black, green and red
- New full finger dorsal thermoplastic rubber (TPR) protection
- SuperCuff® design provides a super comfortable, snug and secure fit without restricting wrist and hand movement
- GLOVE501BMC (black, medium), GLOVE501BLC (black, large), GLOVE501BXLC (black, X-large), GLOVE501BXXC (black, XX-large)
- GLOVE501GM (green, medium), GLOVE501GL (green, large), GLOVE501GXL (green, X-large), GLOVE501GXX (green, XX-large)
- GLOVE501RMC (red, medium), GLOVE501RLC (red, large), GLOVE501RXLC (red, X-large), GLOVE501RXXC (red, XX-large)



11 PC TORX® FOLDING HEX KEY SET (T8-T50) 23Q1-AWTEF11K

- Tri-fold design allows for up to five additional keys in the set, without increased size of housing
- Impact-modified nylon housing is designed to minimize the loss of torque transfer to hex keys and help prevent damage if dropped
- Black-oxide finish for corrosion protection
- Includes (11) folding hex keys (T8-T50)





11 PC TORX® FOLDING BALL HEX KEY SET (T8-T50) 23Q1-AWTEFBH11K



- New tri-fold design allows for up to five additional keys in the set, without increased size of housing
- Impact-modified nylon housing is designed to minimize the loss of torque transfer to hex keys and help prevent damage if dropped
- Black-oxide finish for corrosion protection
- Ball-end allows fasteners to be turned continuously without removing the key to reposition
- Includes (11) folding hex keys (T8-T50)



BOX WRENCH INSPIRED KNIFE SET WITH WOOD BLOCK 23Q1-SSX2783-S

725:-

Snop-on

AND VOVI

- Box Wrench Inspired Knife Set with Wood Block
- Six serrated knife set
- Sharp and durable stainless steel blade
- Die-cast chrome plated box wrench handle
- Engraved Snap-on logo on knife and wood block
- Knife size: 232mm lenght

Embossed Snap-on logo on other side of blede



