

MAKE AN IMPACT

AUTUMN & WINTER DEALS

Gäller t.o.m. 25 februari 2022

- Me

3700:-

1/2" Drive Air Impact Wrench

PT850GM

GUN METAL

- 1,190 ft-lb (1,613 N·m) bolt breakaway torque and 810 ft-lb (1,098 N·m) working torque
- 1,270 BPM
- 9,200 RPM free speed
- Cushion grip handle
- Slow anvil start-up
- Balanced ergonomic design
- One-handed forward/reverse bar
- Large dial type regulator knob
- Forged aircraft grade 7050 aluminum nose
- Forged anvil, frame and hammers for a long tool life

1/2" Drive Newton Meter Adjustable Click-Type Fixed Ratchet Torque Wrench (70-350 N•m)

QD3RN350A



- 1/2" Drive (70-350 N·m)
- Swing Arc 4.5°
 Length D4 2 (40 length)
- Length 24 3/16 Inches

1/2" Drive Heavy-Duty Air Impact Wrenches

Snap-JN:

- 1,190 ft-lb (1,613 N•m) bolt breakaway torque and 810 ft-lb (1,098 N·m) working torque
- Faster motor start-up and greater performance with more torque
- Balanced design for superior control with less user fatigue
- Patented cushion grip reduces vibration
- Patented tip valve trigger provides greater tool control

- Anvil stops with release of the trigger to prevent throwing fasteners
- Cushion grip trigger button delivers improved comfort and control
- Easy turn regulator for convenient speed control



5700:-

3/4" Drive Heavy-Duty Air Impact Wrench **MG1250**

RED

- 1,250 ft-lb of torque
- Six-vane rotor for faster motor start-up
- Twin-hammer impact mechanism and sealed-in oil bath lubrication provide durability and a longer tool life
- Lightweight one-piece housing cuts tool weight to a mere 8.1 lb for superior control and less user fatigue
- Anvil stops with release of trigger to prevent throwing sockets and fasteners
- One-handed reverse button for easy operation



1" Heavy-Duty Impact Wrench PT1800A

RED

- Lightweight design (16 lb)
- Powerful 1,800 ft-lb of torque output
- Three-speed forward and full-power reverse
- Padded ergonomic side handle for comfortable use
- Rubber nose bumper for tool durability and work piece protection
- Side-directed (reversible) exhaust for cleaner work Hardhitting and durable twin hammer impact mechanism

1" Heavy-Duty Long Anvil Impact Wrench **PT1800AL**

RED

 All the same features as the PT1800A but with an extended anvil for ease into difficult spaces.

1" Heavy-Duty 8" Long Anvil Impact Wrench **PT2500L**

RED

- Twin hammer for durability
- Powerful 2,500 ft-lb of torque output
- Padded ergonomic side handle for comfortable use
- 3-speed forward and full power reverse
- Aluminum housing





1000:-

SET YOURSELF. APART. SET YOURSELF. APART. SET YOURSELF. APART. SET YOURSELF. 15 pc 1/2" Drive 6-Point Metric Flank Drive®

Shallow Impact Socket Set (10-24 mm)

- Includes IMM100A-IMM240 (10-24 mm) in a storage tray
- Snap-on® impact sockets are heat treated to optimize impact service life with a lower hardness than hand sockets and are able to withstand repeated cycling loads of impact wrenches
- Snap-on® uses a proprietary blend of special alloy socket steel that provides long life and great strength
- Flank Drive[®] wrenching system delivers up to 20% more turning power without slipping or rounding while exceeding ANSI[®] performance standards

<u>315SIMMYA</u>

15 pc 1/2" Drive 6-Point Metric FlankDrive® Deep Impact Socket Set (10-24 mm)



- Includes SIMM100A-SIMM240 (10-24 mm) in a storage tray
- Snap-on® impact sockets are heat treated to optimize impact service life with a lower hardness than hand sockets and are able to withstand repeated cycling loads of impact wrenches
- Snap-on® uses a proprietary blend of special alloy socket steel that provides long life and great strength
- Flank Drive® wrenching system delivers up to 20% more turning power without slipping or rounding while exceeding ANSI® performance standards

1/2" Drive Quick Release TechAngle® Electronic Flex Head Torque Wrench (20-406 N•m)

ATECH3FQ300B



- Torque: 15–300 ft-lb
- Torque accuracy: ±2% CW and ±3% CCW, 20-100% of full scale
- Angle accuracy: ±1% of reading, ±1° at angular velocity >10°/sec <180°/sec
- Angle range: 0-360°
- Dual progressive LEDs allow user to see active torque at various work positions; enables user to anticipate torque and slow down when nearing desired torque level
- Torque-then-angle allows user to torque fasteners and switch to angle without removing torque wrench from the fastener
- Dual 80® Technology design for only 4.5° of ratchet arc
 4500:-

LETS TALK TORQUE!

- Cycle counter to ensure how many fasteners have been torqued
- Protected end cap design with solid brass contacts prevents accidental loosening and ensures continuity
- Highly configurable ten presets with the ability to customize numerous functions (sleep mode, LCD display, calibration, etc.) and store up to 50 records
- Four alert modes (LCD, Dual LED, Audible, Vibratory)
- Features an internal translation feature that allows the user to select a language for the LCD to display (English, French, German or Spanish)
- Long battery life: 80 hours continuous use
- Uses (3) AA alkaline batteries